



**Catalogue**  
CATERING  
**Chapter**  
COOKING

**Model**  
C-GP911 LPG

19044987

14/12/2018

**GAS RANGE FOR PAELLAS, C-GP911**

Special gas range to heat the bottom of the paellas.  
2 mm thick AISI-304 stainless steel embedded top.

Laser cut and automatic welding for a perfect side to side adjustment of modules with square angle finish.

The grid is made of RAAF enamelled cast iron (resistant to alkaline, acid products ant to fire and high temperatures). Easy to remove and washable.

Dimensions: 700 x 700 mm.

Double crown burner that guarantees the uniformity and thermal distribution of the flame in the bottom of the paella.

Total burners power: 27 kW - gas.

Diameters: Ø 450 mm and Ø 210 mm.

Low consumption pilots and thermocouples inside the burner's body for a more efficient protection.

Gas pipes made of flexible stainless steel flexible tube, which facilitates internal manipulations in order to improve reparability.

**GAS OVEN FOR PAELLAS**

Easy to use oven, special size for paellas, with controls at the top.

Fully stainless steel cooking chamber, for easy cleaning and higher hygienic standards.

Wide side insertion tray for an enhance manoeuvrability.

Three level guides to provide different working options.

Thermostatic valve for temperature control (125 - 310°C).

Stainless steel tubular burner, with pilot and thermocouples, and piezoelectric ignition.

Heat power 7,3 kW - Gas.

6 mm thick cast iron bottom to ensure a better performance and an even distribution of heat.

Two pieces doors, side opening type.

Water-tight and protecting-support controls.

High temperature protector for the chimney made of enamelled cast iron.

The protector is levelled with burners to provide a larger working surface with improved manoeuvrability for large cooking containers.


Pre-installation for water column on the back of the equipment.

Front access to components.

According to European standards for components and panels temperature, efficiencies and combustion, and sanitary regulations (EN-60335 and EN-203).

**DIMENSIONS**

X Width	800 mm	X Gross width	840 mm
Y Depth	930 mm	Y Gross depth	1022 mm
Z Height	850 mm	Z Gross height	1125 mm
Net Weight	140,0 kg	Gross Weight	150,0 kg
Net volume	0,632 m3	Gross volume	0,966 m3



**ELECTRICITY TECHNICAL SPECIFICATIONS**

Voltage	N/A
Electric frequency	N/A

**GAS TECHNICAL SPECIFICATIONS**

Gas type	LPG
Gas power	34,30 kW
Gas consumption	2,550 kg/h
Regulated	LPG G30/G31 28-30/37 mbar NG G20/G25/G25.1 20/25/25 mbar