



Washer extractors

High Spin washer extractors

## HIGH SPIN WASHER, LA-120 MP AC

DIMENSIONS		<u>Article</u>	<u>Packed</u>
Length	mm	1.836,00	1.900,00
Depth	mm	1.863,00	1.940,00
Height	mm	2.245,00	2.290,00
Weigth	Kg	3.300,00	3.500,00
Volumen	m3	7,68	8,44

ELECTRICITY

 Electric power
 KW
 15,00

 230V -1+N
 NO

 230V - III
 OPC3x10+T-63A

**WATER** 

Water consumption (lit/h) 1.300,00
Pressure (Kg/cm2) 2 - 4

GAS

Not used

STEAM Not used

AIR Not used

LEVEL SOUND (dB) 70,00

HIGH SPIN WASHER EXTRACTOR, LA-120 MP AC

Softmount machine.

Made of stainless steel.

Capacity: 120 Kg(1:10).

Electronic control by microprocessor programable.

16 standard washing programs and posibility to create 84 new programs with all the characteristics: temperature, time, speed...

Digital grafic display to control the washing process anf for

programmation.

Keyboard for the programmation and use (4 keys).

PC connection RS-232.

External memory card.

Possibility of external programmation or programs transfer.

No detergent dispenser.

Readiness for connection to liquid soap pumps (up to 7).

User languages: (Spanish, English, French, Italian, German, Portuguese,

Turkish, Polish, Russian and Czech).

WET CLEANING SYSTEM:

- -Water levels completely modifiable.
- -Possible manual dosing for evey 7 signals during the cycle.
- -Minimum washing speed: 15 r.p.m.
- -Minimum thythm ON-OF: 1 second.

Safety door system.

Drum diameter: 1.360 mm. Deepth drum: 840 mm.

Door miameter: 700 mm.

Incorporate speed control for the motor. No need to anchorage to the floor.

Second drain option.

Spin speed: 700 r.p.m. G Factor: 350

Easy to attach automatic dosser dispenser at rear of machine.

Water consumption in program nº 2 60°: 1.300 litres.

Heating system: Hot water

Total power: 15 Kw.

Dimensions: 1.836 x 1.863 x 2.245 mm.

Connections points	x	Υ	z	Diameter	Information	
ELECTRICITY	1.400	0	2.250		0	
DRAIN	1.100	0	350	4"		
DRAIN	700	0	350	4"		
COLD WATER	730	0	2.105	1-1/2"		
SOFT HOT WATER	450	0	2.105	1-1/2"		
HOT WATER	590	0	2.105	1-1/2"		

