



COMMERCIAL
REFRIGERATION

GLOBE
GENERATION



FROM ONE PROFESSIONAL TO ANOTHER



Globe
GENERATION

INDEX

FROM ONE PROFESSIONAL TO ANOTHER.
04

MORE EFFICIENT.
MORE PROFITABLE.
MORE SUSTAINABLE.
06

ROBUST AND ERGONOMIC
OUTSIDE...
08

... FUNCTIONAL AND EASY
TO CLEAN INSIDE.
12

PERFECT CONSERVATION FOR AN
EXCELLENT RESULT.
16

A SOLUTION FOR
EVERY NEED.
18



FROM ONE PROFESSIONAL TO ANOTHER

GLOBE, the new refrigeration generation, has been designed with the kitchen professional in mind. More efficient refrigeration technology, guaranteeing optimum food conservation at the lowest cost. The GLOBE generation is born of your requirements and our experience as **Europe's top commercial refrigeration manufacturer**. Its guarantee: the experience of a brand with four refrigeration manufacturing plants around the world and more than 1000 distribution points.

Your objective is also ours: to ensure you make the right choice.

MORE EFFICIENT. MORE PROFITABLE. MORE SUSTAINABLE.

Our consistently innovative attitude leads us to fit our equipment with top quality food conservation features and also to comply with all power saving regulations in force. This is a new generation that intends to become your perfect allied for quality, durability, cost saving and sustainability.



Power consumption, a reduction of up to 70%.



01.

HEAVIER INSULATION

When it comes to insulation, the right thickness is a key factor to prevent leaks. Our new Globe generation increases insulation levels in all the average range to provide increased refrigeration efficiency.

Advance models
80 mm


Concept models
Before 50 mm
Now 60 mm



02.

MULTIFLOW SYSTEM

An intelligent air circulation system to ensure a consistent and constant distribution inside the equipment, so that the temperature stays uniform. This system contributes to keep food in good conditions for a longer time and to reduce power consumption.



03.

ECO FUNCTION

This running mode optimises our equipments' performance. When the door remains closed for a certain period of time, temperature and time are automatically selected so that the cooling unit only works when required.

ECO mode
reduces consumption by 12%.




04.

CUTTING EDGE COMPONENTS

Our components reduce power consumption and improve efficiency to make your kitchen a more pleasant place to work at thanks to a lower noise level.

Noise level reduced by **15%.**

Natural non toxic



05.

ZERO IMPACT GASES

gas with a reduced environmental impact on the ozone layer. Also, thanks to a smaller load of coolant in our units, compressors' performance is greater with reduced noise level.

Coolant load reduced by **30-40%.**



ROBUST AND ERGONOMIC OUTSIDE...

—

Our priority is to provide our customers with a reliable, long-lasting product that can stand intense professional usage and maintain the quality and functionality from the first day. Units where robustness and ergonomics combine to perfection for a more dynamic and comfortable work.

01.

USER FRIENDLY ELECTRONIC CONTROLS

Functional and user friendly electronic controls for a direct access to the different functions.

02.

IPX5 PROTECTION

The control panel is integrated in the control holder to provide a greater protection against dirt and shock. IPX5 international grade of protection against water and dust.

03.

ACCESS TO DOOR OPENING

An optional door opening pedal for all the cabinets in the range for an easy and comfortable access when your hands are busy.

Flexible layout: according to door opening orientation.

04.

SELF-CLOSING AND STAY OPEN FEATURE

Globe products are fitted with a self-closing and stay open feature for easier loading and unloading.

Self-closing: when the door is opened less than 90 °.
Stay open feature: when opened more than 135 °.

05.


ERGONOMIC HANDLES

Vertical all the way built-in door handles to offer an easy and accessible grip while providing an obstacle free design.

06.

EASY ACCESS FOR MAINTENANCE

Globe tables with Monoblock compact system have their cooling units at the front for an easy access for maintenance operations.



...FUNCTIONAL
AND EASY TO
CLEAN INSIDE.

—
A new generation of products designed
according to the functional and hygienic
conditions required by the professionals in
the industry.





01.
EMBEDDED TRAY SLIDES
 Embedded tray slides for easier cleaning. They also provide a more flexible storage space to suit every user's needs.
Embedded tray slides now also in our Concept cabinets.

02.
HEIGHT ADJUSTABLE LEGS
 Our adjustable legs let you regulate working surfaces' height according to every user's needs. They also provide a better access to the kitchen floor for cleaning operations.

03.
LED LIGHTING SYSTEM INSIDE
 Strategically located LED lights at the top front provide optimum lighting for the whole of the compartment. LEDs' lower power consumption for a much longer time contributes to energy saving, since they generate no heat inside.

04.
REMOVABLE COMPONENTS


All the components inside the tables or cabinets can be removed for an easier cleaning of the unit.

05.
BUILT-IN DRAIN

All our units are fitted with a built-in drain for remove waste waters.

06.
ROUNDED EDGE FLOORING

One-piece rounded edge flooring in all our range for easier cleaning.



06.
ROUNDED EDGE FLOORING
 One-piece rounded edge flooring in all our range for easier cleaning.

PERFECT CONSERVATION FOR AN EXCELLENT RESULT.

Maintaining food quality is our priority. That is why the new Globe generation includes technology to keep food for a longer time with the lowest energy consumption.



— EVENLY REFRIGERATED

Apart from keeping a certain temperature, an even distribution is also an essential part of it. For this purpose, the intelligent air circulation system Multiflow distributes the air regularly to keep your food in perfect conditions.

— HACCP SYSTEM

HACCP is a system that ensures that food is kept in good conditions by monitoring the equipment temperature and providing a warning log as well as the inspection and correct regulation of food control.

— COLD LIGHT SOURCE

LED technology does not produce heat, UVA or infra-red rays. This is why it contributes to the conservation of fresh food and to any other food that is particularly delicate, such as meat or fish.

— COLD CHAIN

Observing your cold chain is vital to keep food in good conditions. When increasing insulation thickness temperature losses are reduced and this prevents micro-organisms that may damage our food from growing. Food life increases and conservation losses are significantly reduced.

— TIDY STORAGE

Storing food according to its nature is important if you want to preserve it for a longer time and avoid crossed contamination (between fresh and cooked food).

REFRIGERATED CABINETS

ADVANCE

INNOVATION AND TECHNOLOGY.

ADVANCE is our line of technologically innovative cabinets, intended and designed to fulfil the most demanding user's expectations.

CONCEPT

VERSATILE AND QUALITY.

Our CONCEPT cabinets, in its Gastronorm version, offer a diverse range of quality products to suit every kind of businesses and requirements.



GLOBE GENERATION

GREAT SOLUTIONS FOR THE MOST DEMANDING NEEDS

GLOBE includes two cabinet ranges: ADVANCE and CONCEPT. Each one of these ranges has been designed to meet different users' requirements but offers the same guarantees that endorse us as top quality manufacturers.

CHARACTERISTICS	ADVANCE GASTRONORM	CONCEPT GASTRONORM MONOBLOCK	CONCEPT GASTRONORM	CONCEPT SNACK
DIMENSIONS (1 door)	693 x 856 x 2040	653 x 796 x 1996	653 x 842 x 2040	693 x 726 x 2067
INTERIOR	EMBEDDED TRAY SLIDES	EMBEDDED TRAY SLIDES	EMBEDDED TRAY SLIDES	ZIP SYSTEM
CAPACITY (No. shelves 1 door cabinet)	23 x GN 2/1	23 x GN 2/1	23 x GN 2/1	18 x SNACK
ENERGY EFFICIENCY CLASS (1 door refrigerated cabinet)	A	B	C	C
INSULATION	80 mm	60 mm	60 mm *	50 mm
COOLANT +/-	R-600a / R-290	R-600a / R-290	R-600a / R-290	R-600a / R-290
CLIMATE CLASS (1 door)	5	4	4	4
COOLING SYSTEM	BUILT-IN	MONOBLOCK	BUILT-IN	BUILT-IN
LIGHTING	LED	LED	LED	LED
HACCP	YES	OPTIONAL	OPTIONAL	NO
ECO MODE	YES	YES	YES	NO
LOCK (large door)	YES	OPTIONAL	OPTIONAL	OPTIONAL
PROTECTION GRADE	IPX5	IPX5	IPX5	IPX4
OPTIONAL DOOR OPENING PEDAL	YES	YES	YES	NO

* Except cabinets for specific products (fish, pastry...)

REFRIGERATED COUNTERS

ADVANCE

THE BEST AT COMMERCIAL REFRIGERATION.

ADVANCE counters have been designed to offer an efficient, more profitable and sustainable product to improve daily working conditions. All of this tested by reputable laboratories under extreme conditions to make sure that we are providing the most suitable solution for all and every one

CONCEPT

QUALITY AS THE REFERENCE.

The CONCEPT range includes one of the most complete catalogues in the market for refrigerated counters, with a large number of versions and options to suit every user's needs with a robust, ergonomic and functional product.



GLOBE GENERATION

EFFICIENCY AND QUALITY FOR PROFESSIONAL NEEDS

The new GLOBE generation includes ADVANCE and CONCEPT ranges with an ample offer for versions, modules and options, so that users can always find a response to their needs.

CHARACTERISTICS	ADVANCE 700 GASTRONORM	CONCEPT 700 GASTRONORM	CONCEPT 600 SNACK
DIMENSIONS (3 doors)	1.800 x 700 x 850	1.792 x 700 x 850	2.017 x 600 x 850
CAPACITY (N° of levels per door)	3	3	3
INNER STRUCTURE	Removable screw-free built in zip inside the unit		
ENERGY EFFICIENCY CLASS	B	C	C
INSULATION	60 mm sides 50 + 40 mm double room	50 mm	50 mm
COOLANT +/-	R-600a / R-290	R-600a / R-290	R-600a / R-290
CLIMATE CLASS	4	4	4
COOLING SYSTEM	MONOBLOCK	BUILT-IN	BUILT-IN
HACCP	SI	NO	NO
ECO MODE	SI	SI	NO
LOCK	OPTIONAL	OPTIONAL	OPTIONAL
HUMIDITY PROTECTION GRADE	IPX5	IPX5	IPX4

A SOLUTION FOR EVERY NEED

GLOBE fits the needs of every user thanks to its wide range of options.

CABINETS

STANDARD VERSIONS IN OUR CATALOGUE

	FRIDGE			FREEZER		MIXED FRIDGE AND FREEZE		DOUBLE FRIDGE		MIXED FRIDGE AND FISH		PAstry	FISH
	LARGE DOORS	GLASS DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	LARGE DOORS
ADVANCE	●	●	-	●	-	-	-	-	-	-	-	-	-
CONCEPT MONOBLOCK	●	●	●	●	●	●	-	-	-	-	-	-	-
CONCEPT GASTRONORM	●	●	●	●	●	●	●	●	●	●	●	-	-
CONCEPT SNACK	●	●	●	●	●	●	●	-	-	●	●	●	●

OPTIONAL VERSIONS ON DEMAND

	TROPICALISED	HACCP	REVERSED OPENING (*)	OPENING PEDAL (*)	WHEELED	LOCK (*)	MEAT BAR
ADVANCE	○	●	○	○	○	●	-
CONCEPT MONOBLOCK	○	○	○	○	○	○	-
CONCEPT GASTRONORM	○	○	○	○	○	○	-
CONCEPT SNACK	○	-	○	-	○	○	○

* More options in page 244 of the catalogue

** Only in large doors

COUNTERS

STANDARD VERSIONS IN OUR CATALOGUE

	REFRIGERATED WALL WORKTOPS									WALL WORKTOP FREEZERS		CENTRAL REFRIGERATED COUNTERS	
	BUILT-IN COOLING UNIT				REMOTE COOLING UNIT					BUILT-IN COOLING UNIT	REMOTE COOLING UNIT	BUILT-IN COOLING UNIT	
	STANDARD DOORS	WITH SINK	GLASS DOORS	TWO-DRAWER SETS	STANDARD DOORS	GLASS DOORS	TWO-DRAWER SETS	STANDARD DOORS	STANDARD DOORS	STANDARD DOORS	STANDARD DOORS	STANDARD DOORS	
ADVANCE 700	●	-	●	●	-	-	-	●	-	●	-	●	
CONCEPT GASTRONORM 700	●	●	●	●	●	●	●	●	●	●	●	●	
CONCEPT SNACK 600	●	●	●	●	●	○	●	●	●	●	-	-	

OPTIONAL VERSIONS ON DEMAND*

	REFRIGERATED WALL WORKTOPS					WALL WORKTOP FREEZERS					CENTRAL REFRIGERATED COUNTERS		
	BUILT-IN COOLING UNIT			REMOTE COOLING UNIT		BUILT-IN COOLING UNIT			REMOTE COOLING UNIT		BUILT-IN COOLING UNIT		
	COOLING UNIT ON THE LEFT	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	THREE-DRAWER SETS	WHEELED	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	THREE-DRAWER SETS	COOLING UNIT ON THE LEFT	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	WHEELED	WHEELED
ADVANCE 700	-	○	○	○	○	-	-	-	-	○	○	○	○
CONCEPT GASTRONORM 700	○	○	○	○	○	○	○	○	○	○	○	○	○
CONCEPT SNACK 600	○	○	○	○	○	○	○	○	○	○	○	-	-

* More options in page 266 of the catalogue

● Standard available ○ Optional - Not available



ADVANCE | GASTRONORM



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS							
EAAFP-801	1	A	610	314	160	R600a	693x856x2040
EAAFP-1602	2	B	1332	558	160	R600a	1.358x856x2040
FREEZER CABINETS							
EAAFN-801	1	D	610	2139	350	R290	693x856x2040
EAAFN-1602	2	D	1332	4924	640	R290	1.358x856x2040
REFRIGERATED DISPLAY CABINETS							
EAAEP-801	1	-	610	-	160	R600a	693x856x2040
EAAEP-1602	2	-	1332	-	160	R600a	1.358x856x2040

CONCEPT | MONOBLOCK



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS							
EMAFP-801	1	B	572	423	130	R600a	653x796x1.996
EMAFP-802	2	B	572	423	130	R600a	653x796x1.996
EMAFP-1602	2	C	1.144	756	180	R600a	1.318x796x1.996
EMAFP-1603	3	C	1.144	756	180	R600a	1.318x796x1.996
EMAFP-1604	4	C	1.144	756	180	R600a	1.318x796x1.996
FREEZER CABINETS							
EMAFN-801	1	D	572	2.040	520	R290	653x796x1.996
EMAFN-802	2	D	572	2.040	520	R290	653x796x1.996
EMAFN-1602	2	E	1.144	4.161	610	R290	1.318x796x1.996
EMAFN-1603	3	D	1.144	4.161	640	R290	1.318x796x1.996
EMAFN-1604	4	D	1.144	4.161	640	R290	1.318x796x1.996
REFRIGERATED DISPLAY CABINETS							
EMAEP-801	1	-	572	-	130	R600a	653x796x1.996
EMAEP-1602	2	-	1.144	-	180	R600a	1.318x796x1.996
MIXED REFRIGERATION AND FREEZER CABINET							
EMAF-1602 MIX	1+1	-	1.144	-	126+352	R600a+R290	1.318x796x1.996

CONCEPT | GASTRONORM



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS							
EAFP-801	1	C	610	548	160	R600a	653x842x2.040
EAFP-802	2	C	610	548	160	R600a	653x842x2.040
EAFP-1602	2	C	1.332	913	180	R600a	1.318x842x2.040
EAFP-1603	3	C	1.332	913	180	R600a	1.318x842x2.040
EAFP-1604	4	C	1.332	913	180	R600a	1.318x842x2.040
FREEZER CABINETS							
EAFN-801	1	D	610	2.179	350	R290	653x842x2.040
EAFN-802	2	D	610	2.179	350	R290	653x842x2.040
EAFN-1602	2	E	1.332	4.161	640	R290	1.318x842x2.040
EAFN-1603	3	E	1.332	4.161	640	R290	1.318x842x2.040
EAFN-1604	4	E	1.332	4.161	640	R290	1.318x842x2.040
REFRIGERATED DISPLAY CABINETS							
EAFP-801	1	-	610	-	160	R600a	653x842x2.040
EAFP-802	2	-	610	-	160	R600a	653x842x2.040
EAFP-1602	2	-	1.332	-	180	R600a	1.318x842x2.040

MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATION AND FREEZER MIXED CABINET							
EAF-1602 MIX	1+1	-	1332	-	158+352	R600a+R290	1.318x842x2.040
REFRIGERATION CABINETS WITH FREEZING COMPARTMENT							
EAF-802 C	1+1 freezing compartment	-	596	-	242+185	R290	693x826x2.008
EAF-1603 C	2+1 freezing compartment	-	1301	-	231+185	R600a+R290	1.388x826x2.008
EAF-1604 C	3+1 freezing compartment	-	1301	-	231+185	R600a+R290	1.388x826x2.008
REFRIGERATION CABINETS WITH FISH COMPARTMENT							
EAF-802 P	1+1 fish compartment	D	596	679	216+209	R290	693x826x2.008
EAF-1603 P	2+1 fish compartment	D	1301	906	186+209	R600a+R290	1.388x826x2.008
EAF-1604 P	3+1 fish compartment	D	1301	906	186+209	R600a+R290	1.388x826x2.008
DUAL TEMPERATURE CABINETS							
EAFP-802/2	1+1	D	596	679	216+216	R-600a	693x826x2.008
EAFP-1602/2	1+1	D	1301	905	158+158	R-600a	1.388x826x2.008
EAFP-1603/2	2+1	D	1301	905	158+158	R-600a	1.388x826x2.008
EAFP-1604/2	3+1	D	1301	905	158+158	R-600a	1.388x826x2.008

CONCEPT | SNACK



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS							
EAFP-701	1	C	506	548	160	R600a	693x726x2.067
EAFP-702	2	C	506	548	160	R600a	693x726x2.067
EAFP-1402	2	C	1109	975	180	R600a	1.388x726x2.067
EAFP-1403	3	C	1109	975	180	R600a	1.388x726x2.067
EAFP-1404	4	C	1109	975	180	R600a	1.388x726x2.067
FREEZER CABINETS							
EAFN-701	1	D	506	2179	350	R290	693x726x2.067
EAFN-702	2	D	506	2179	350	R290	693x726x2.067
EAFN-1402	2	E	1109	4800	640	R290	1.388x726x2.067
EAFN-1403	3	E	1109	4800	640	R290	1.388x726x2.067
EAFN-1404	4	E	1109	4800	640	R290	1.388x726x2.067
REFRIGERATED DISPLAY CABINETS							
EAEP-701	1	-	506	-	160	R600a	693x726x2.067
EAEP-1402	2	-	1109	-	180	R600a	1.388x726x2.067
REFRIGERATION AND FREEZER MIXED CABINET							
EAF-1402 MIX	1+1	-	1012	-	158+352	R600a+R290	1.388x726x2.067
REFRIGERATION CABINETS WITH FREEZING COMPARTMENT							
EAF-702 C	1+1 freezing compartment	-	506	-	242+185	R290	693x726x2.067
EAF-1403 C	2+1 freezing compartment	-	1109	-	231+185	R600a+R290	1.388x726x2.067
EAF-1404 C	3+1 freezing compartment	-	1109	-	231+185	R600a+R290	1.388x726x2.067
REFRIGERATION CABINETS WITH FISH COMPARTMENT							
EAF-702 P	1+1 fish compartment	D	506	679	216+209	R290	693x726x2.067
EAF-1403 P	2+1 fish compartment	D	1109	906	186+209	R600a+R290	1.388x726x2.067
EAF-1404 P	3+1 fish compartment	D	1109	906	186+209	R600a+R290	1.388x726x2.067

CONCEPT | 1/1 GASTRONORM



MODEL	COOLANT	Hz.	N° DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	INSULATION THICKNESS (mm)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	DIMENSIONS (mm)
REFRIGERATED CABINET									
EAFP-401	R-600a		1	E	305	60	829	240	488x703x2.008
DISPLAY REFRIGERATED CABINET									
EAEP-401	R-600a		1	E	305	60	829	240	488x703x2.008
FREEZER CABINET									
EAFN-401	R-290		1	E	305	60	2.443	240	488x703x2.008

CONCEPT | PASTRY



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
EAPP-701	1	G	574	1132	158	R600a	760x742x2.006

CONCEPT | FISH



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
EAP-701	1	-	574	-	525	R600a	760x742x2.006

ADVANCE | GASTRONORM



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS							
EAMFP-135	2	B	258	694	170	R600a	1.350x700x850
EAMFP-180	3	B	403	767	170	R600a	1.800x700x850
EAMFP-225	4	B	549	810	200	R600a	2.250x700x850
FREEZER COUNTERS							
EAMFN-135	2	D	258	2044	340	R290	1.350x700x850
EAMFN-180	3	D	403	2654	340	R290	1.800x700x850
REFRIGERATED COUNTERS WITH GLASS DOORS							
EAMFP-135-PC	2	-	258	-	170	R600a	1.350x700x850
EAMFP-180-PC	3	-	403	-	170	R600a	1.800x700x850
EAMFP-225-PC	4	-	549	-	240	R600a	2.250x700x850
REFRIGERATED COUNTERS WITH DRAWERS							
EAMFP-135-HD	2 drawers 1 door	B	258	694	170	R600a	1.350x700x850
EAMFP-135-HH	4 drawers	B	258	694	170	R600a	1.350x700x850
EAMFP-180-HDD	2 drawers 2 doors	B	403	767	170	R600a	1.800x700x850
EAMFP-180-HHD	4 drawers 1 door	B	403	767	170	R600a	1.800x700x850
EAMFP-180-HHH	6 drawers	B	403	767	170	R600a	1.800x700x850
EAMFP-225-HDDD	2 drawers 3 doors	B	549	810	200	R600a	2.250x700x850
EAMFP-225-HHDD	4 drawers 2 doors	B	549	810	200	R600a	2.250x700x850
EAMFP-225-HHHHD	6 drawers 1 door	B	549	810	200	R600a	2.250x700x850
EAMFP-225-HHHHH	8 drawers	B	549	810	200	R600a	2.250x700x850
REFRIGERATED CENTRAL COUNTERS							
EAMCP-135	2+2	-	258	-	170	R600a	1.350x768x850
EAMCP-180	3+3	-	403	-	170	R600a	1.800x768x850
EAMCP-225	4+4	-	546	-	200	R600a	2.250x768x850

CONCEPT | 700 GASTRONORM



MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS							
EMFP-135-GN	2	B	274	752	170	R600a	1.342x700x850
EMFP-180-GN	3	C	428	931	170	R600a	1.792x700x850
EMFP-225-GN	4	C	581	1096	200	R600a	2.242x700x850
FREEZER COUNTERS							
EMFN-135-GN	2	D	274	2212	667	R290	1.342x700x850
EMFN-180-GN	3	D	428	2467	676	R290	1.792x700x850
REFRIGERATED COUNTERS WITH PRE-INSTALLATION							
EMFP-102-GN-R	2	-	274	-	-	-	1.042x700x850
EMFP-147-GN-R	3	-	428	-	-	-	1.492x700x850
EMFP-192-GN-R	4	-	581	-	-	-	1.942x700x850
FREEZER COUNTERS WITH PRE-INSTALLATION							
EMFN-102-GN-R	2	-	274	-	414	-	1.042x700x850
EMFN-147-GN-R	3	-	428	-	423	-	1.492x700x850
REFRIGERATED COUNTERS WITH DRAWERS							
EMFP-135-GN HD	2 drawers 1 door	C	274	752	170	R600a	1.342x700x850
EMFP-135-GN HH	4 drawers	C	274	752	170	R600a	1.342x700x850
EMFP-180-GN HDD	2 drawers 2 doors	C	428	931	170	R600a	1.792x700x850
EMFP-180-GN HHD	4 drawers 1 door	C	428	931	170	R600a	1.792x700x850
EMFP-180-GN HHH	6 drawers	C	428	931	170	R600a	1.792x700x850
EMFP-225-GN HDDD	2 drawers 3 doors	C	581	1096	200	R600a	2.242x700x850
EMFP-225-GN HHDD	4 drawers 2 doors	C	581	1096	200	R600a	2.242x700x850
EMFP-225-GN HHHD	6 drawers 1 door	C	581	1096	200	R600a	2.242x700x850
EMFP-225-GN HHHH	8 drawers	C	581	1096	200	R600a	2.242x700x850
REFRIGERATED COUNTERS WITH DRAWERS AND PRE-INSTALLATION							
EMFP-102-GN-HD-R	2 drawers 1 door	-	274	-	-	-	1.042x700x850
EMFP-102-GN-HH-R	4 drawers	-	274	-	-	-	1.042x700x850
EMFP-147-GN-HDD-R	2 drawers 2 doors	-	428	-	-	-	1.492x700x850
EMFP-147-GN-HHD-R	4 drawers 1 door	-	428	-	-	-	1.492x700x850
EMFP-147-GN-HHH-R	6 drawers	-	428	-	-	-	1.492x700x850
EMFP-192-GN-HDDD-R	2 drawers 3 doors	-	581	-	-	-	1.942x700x850
EMFP-192-GN-HHDD-R	4 drawers 2 doors	-	581	-	-	-	1.942x700x850
EMFP-192-GN-HHHD-R	6 drawers 1 door	-	581	-	-	-	1.942x700x850
EMFP-192-GN-HHHH-R	8 drawers	-	581	-	-	-	1.942x700x850

CONCEPT | 600 SNACK









MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS WITH GLASS DOORS							
EMFP-135-GN-PC	2	-	274	-	170	R600a	1.342x700x850
EMFP-180-GN-PC	3	-	428	-	170	R600a	1.792x700x850
EMFP-225-GN-PC	4	-	581	-	200	R600a	2.242x700x850
REFRIGERATED COUNTERS WITH SINK							
EMFP-135-GN-F	2	B	274	752	170	R600a	1.342x700x850
EMFP-180-GN-F	3	C	428	931	170	R600a	1.792x700x850
EMFP-225-GN-F	4	C	581	1096	200	R600a	2.242x700x850
REFRIGERATED CENTRAL COUNTERS							
EMCP-135-GN	2+2	-	274	-	170	R600a	1.342x768x850
EMCP-180-GN	3+3	-	428	-	170	R600a	1.792x768x850
EMCP-225-GN	4+4	-	581	-	200	R600a	2.242x768x850
REFRIGERATED COUNTERS WITH GLASS DOORS AND PRE-INSTALLATION							
EMFP-102-GN-R-PC	2	-	274	-	-	-	1.042x700x850
EMFP-147-GN-R-PC	3	-	428	-	-	-	1.492x700x850
EMFP-192-GN-R-PC	4	-	581	-	-	-	1.942x700x850

MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED BASES							
MODELS WITH DOORS							
EMFP-135-BP	2	C	177	752	170	R600a	1.342x700x584
EMFP-180-BP	3	C	277	931	170	R600a	1.792x700x584
EMFP-225-BP	4	D	377	1096	200	R600a	2.242x700x584
MODELS WITH DRAWERS 2/3							
EMFP-135-B	2 drawers	C	177	752	170	R600a	1.342x700x584
EMFP-180-B	3 drawers	C	277	931	170	R600a	1.792x700x584
EMFP-225-B	4 drawers	C	377	1096	200	R600a	2.242x700x584
MODELS WITH DRAWERS 1/3							
EMFP-135-B2	2 drawers 1 door	C	177	752	170	R600a	1.342x700x584
EMFP-180-B2	4 drawers 1 door	C	277	931	170	R600a	1.792x700x584
EMFP-225-B2	6 drawers 1 door	D	377	1096	200	R600a	2.242x700x584















MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS							
EMSP-150	2	C	268	836	170	R600a	1.492x600x850
EMSP-200	3	C	416	931	170	R600a	2.017x600x850
EMSP-250	4	C	564	1096	200	R600a	2.542x600x850
REFRIGERATED COUNTERS							
EMSN-150	2	D	268	2212	667	R290	1.492x600x850
EMSN-200	3	D	416	2467	676	R290	2.017x600x850
REFRIGERATED COUNTERS WITH PRE-INSTALLATION							
EMSP-117-R	2	-	268	-	-	-	1.192x600x850
EMSP-169-R	3	-	416	-	-	-	1.717x600x850
EMSP-222-R	4	-	564	-	-	-	2.242x600x850
FREEZER COUNTERS WITH PRE-INSTALLATION							
EMSN-117-R	2	-	268	-	416	-	1.192x600x850
EMSN-169-R	3	-	416	-	426	-	1.717x600x850

MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS WITH DRAWERS *							
EMSP-150-HD	2 drawers 1 door	C	268	836	170	R600a	1.492x600x850
EMSP-150-HH	4 drawers	C	268	836	170	R600a	1.492x600x850
EMSP-200-HDD	2 drawers 2 doors	C	416	931	170	R600a	2.017x600x850
EMSP-200-HHD	4 drawers 1 door	C	416	931	170	R600a	2.017x600x850
EMSP-200-HHH	6 drawers	C	416	931	170	R600a	2.017x600x850
EMSP-250-HDDD	2 drawers 3 doors	C	564	1096	200	R600a	2.542x600x850
EMSP-250-HHDD	4 drawers 2 doors	C	564	1096	200	R600a	2.542x600x850
EMSP-250-HHHD	6 drawers 1 door	C	564	1096	200	R600a	2.542x600x850
EMSP-250-HHHH	8 drawers	C	564	1096	200	R600a	2.542x600x850
REFRIGERATED COUNTERS WITH DRAWERS AND PRE-INSTALLATION							
EMSP-117-HD-R	2 drawers 1 door	-	268	-	-	-	1.192x600x850
EMSP-117-HH-R	4 drawers	-	268	-	-	-	1.192x600x850
EMSP-169-HDD-R	2 drawers 2 doors	-	416	-	-	-	1.717x600x850
EMSP-169-HHD-R	4 drawers 1 door	-	416	-	-	-	1.717x600x850
EMSP-169-HHH-R	6 drawers	-	416	-	-	-	1.717x600x850
EMSP-222-HDDD-R	2 drawers 3 doors	-	564	-	-	-	2.242x600x850
EMSP-222-HHDD-R	4 drawers 2 doors	-	564	-	-	-	2.242x600x850
EMSP-222-HHHD-R	6 drawers 1 door	-	564	-	-	-	2.242x600x850
EMSP-222-HHHH-R	8 drawers	-	564	-	-	-	2.242x600x850

MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS WITH GLASS DOORS							
 EMSP-150-PC	2	-	268	-	170	R600a	1.492x600x850
 EMSP-200-PC	3	-	416	-	170	R600a	2.017x600x850
 EMSP-250-PC	4	-	564	-	200	R600a	2.542x600x850
REFRIGERATED COUNTERS WITH SINK							
 EMSP-150-F	2	C	268	836	170	R600a	1.492x600x850
 EMSP-200-F	3	C	416	931	170	R600a	2.017x600x850
 EMSP-250-F	4	C	564	1096	200	R600a	2.542x600x850

FRONT COUNTERS

MODEL	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
FRONT COUNTERS							
REFRIGERATED MODELS							
 EFMP-150	2	C	355	835	170	R600a	1.492x600x1.045
 EFMP-202	3	C	551	988	170	R600a	2.017x600x1.045
 EFMP-255	4	C	747	1171	200	R600a	2.542x600x1.045
REFRIGERATED MODELS WITH GLASS DOORS							
 EFMP-150 PC	2	-	355	-	170	R600a	1.492x600x1.045
 EFMP-202 PC	3	-	551	-	170	R600a	2.017x600x1.045
 EFMP-255 PC	4	-	747	-	200	R600a	2.542x600x1.045
REFRIGERATED MODELS WITH PRE-INSTALLATION							
 EFMP-117-R	2	-	355	-	-	-	1.192x600x1.045
 EFMP-169-R	3	-	551	-	-	-	1.717x600x1.045
 EFMP-222-R	4	-	747	-	-	-	2.242x600x1.045
REFRIGERATED MODELS WITH GLASS DOORS AND PRE-INSTALLATION							
 EFMP-117-R PC	2	-	355	-	-	-	1.192x600x1.045
 EFMP-169-R PC	3	-	551	-	-	-	1.717x600x1.045
 EFMP-222-R PC	4	-	747	-	-	-	2.242x600x1.045



FAGOR INDUSTRIAL S. COOP.
Santxolopetegi auzoa, 22
20560 Oñati, Gipuzkoa (Spain)
T. (+34) 943 71 80 30
F. (+34) 943 71 81 81
info@fagorindustrial.com

www.fagorindustrial.com



ISO 9001

